

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S196	1147	sprint.as.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:39
S197	8	S196 and (cobol).clm.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:39
S198	7	(US-5745748-\$ or US-7007278-\$ or US-6453464-\$ or US-5754830-\$ or US-6931623-\$ or US-6886018-\$ or US-6748380-\$).did.	USPAT	OR	ON	2008/12/15 13:39
S199	34	copy\$1book with map\$4 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S200	34	S199 and (@pd<"20031030" or @ad<"20031030" or @prad<"20031030" or @rlad<"20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S201	195	ebcdic with convert\$4 with ascii	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S202	28	S201 and cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S203	1866	717/114-119.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S204	713	709/237.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S205	128	(S203 or S204) and cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39

S206	13	S205 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S207	36	(socket near3 full) with read \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S208	524	cobol and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S209	49	S208 and (socket near communicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S210	50	"20050097537" "20050097539" "20050097564" "5794240" "6182276" "5649203" "5652889" "4403283" "4536840" "4866610" "4903199" "5481740" "5493675" "5613117" "5652909" "5659753" "5845121" "4937740" "4374408" "4558411" "4587628" "5225978" "5428780" "5455949" "5497500" "5555411" "5630137" "5666533" "5724564" "5737622" "5970250" "6073157" "20040060048" "6058460" "5632036" "5745768" "6090155" "20050097538" "5418965" "5404555" "6360359" "3930236" "3886523" "4005391" "4135242" "4246638" "4445177" "4447875" "4455604" "4455603").pn.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:39
S211	11	("3891974" "4320451" "4525780" "4636948").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39

S212	2	("5146593").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S213	2	("6453464").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S214	436	(S203 or S204) and @pd>="20070409"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S215	110	cobol.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S216	77	S215 and (@pd<"20031030" or @ad<"20031030" or @prad<"20031030" or @rlad<"20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S217	3	("5754830" "6621505" "6728769").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/15 13:39
S218	27	cobol and "socket communication"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S219	266	copybook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S220	175	S219 and cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S221	56	S220 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S222	44	S221 and (@pd<"20031030" or @ad<"20031030" or @prad<"20031030" or @rlad<"20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39

S223	14	copybook near3 map\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S224	12	copy\$1book near3 map\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S225	42	copy\$1book near3 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S226	2	S196 and (cobol and socket). clm.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:39
S227	1925	ebcdic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S228	1470	S227 and ascii	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S229	43	copy\$1book same map\$4 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S230	13	joseph near laura.in.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:39
S231	8	copy\$1book same map\$4 same memory same cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S232	2	S198 and copy\$1book	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S233	4632	719/310,311,312-317,320. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39

S234	31	S233 and socket and cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S235	16	("20020174415" "20030221186" "20050097537" "20050097538" "20050097539" "20050097564" "3891974" "4320451" "4525780" "4636948" "5146593" "5754855" "6526569" "6931623" "6957422" "7086033").PN.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:39
S236	649	S233 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S237	55	S236 and (read near3 socket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S238	108	S233 and socket and legacy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S239	99	S238 and (@pd< "20031030" or @ad< "20031030" or @prad< "20031030" or @rlad< "20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S240	22	S236 and (socket adj (routine or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S241	244	("5228137" "5475836" "5485369" "5497463" "5530852" "5568612" "5600833" "5617540" "5619650" "5634006" "5634127" "5636371").PN. OR ("5754830").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/15 13:39
S242	6	S241 and (socket adj (routine or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39

S243	615	socket near3 (operating adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S244	55	S243 and (socket adj (routine or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S245	37	("5721876").URPN.	USPAT	OR	ON	2008/12/15 13:39
S246	9593	709/230-237.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S247	1271	S246 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S248	115	S247 and (legacy or cobol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S249	100	S248 and (@pd<"20031030" or @ad<"20031030" or @prad<"20031030" or @rlad<"20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S250	1	"bit-level call"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S251	615	socket near3 (operating adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S252	78	call\$4 near3 socket near3 (operating adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S253	51	S252 and (@pd<"20031030" or @ad<"20031030" or @prad<"20031030" or @rlad<"20031030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39

S254	1866	717/114-119.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S255	3662	719/311-317,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S256	9593	709/230-237.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S257	1914	(S254 or S255 or S256) and @pd> = "20071214"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S258	274	S257 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S259	189	S258 and (operating adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:39
S260	1	"20020065954".pn.	US-PGPUB; USPAT	OR	ON	2008/12/15 13:46
S261	74	(interfac\$4 near3 (operating near system)) with bit	US-PGPUB; USPAT	OR	ON	2008/12/15 13:47
S262	9	(interfac\$4 near3 (operating near system)) with (bit and offset)	US-PGPUB; USPAT	OR	ON	2008/12/15 13:47
S263	5	bit\$1level near3 call\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 13:51
S264	388	(assembler near3 call\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 14:07
S266	55	bit with offset with (memory near map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 14:15

S267	7	correct\$4 near3 (bit near3 offset near3 (memory near map\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 14:21
S268	7	(bit and offset and memory) with ((operating near system) near3 call\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:07
S269	9	(bit and offset) with ((operating near system) near3 call\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:07
S271	55	(bit with offset with (memory near map\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:42
S272	338	(bit with offset) same (operating near system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:57
S273	8	(bit with offset with (memory near map\$4)) same (operating near system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:57
S274	6233	(operating near system) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:17
S275	54	(operating near system) with (bit near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:17
S276	0	bit\$1level near3 api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:24
S277	5906	cobol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:24

S278	9	S277 and bit\$1level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:25
S279	504	S277 and (bit\$1level or low \$1level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:29
S280	4	S277 and ((bit\$1level or low \$1level) near call\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:29
S281	25	((bit\$1level or low\$1level) near call\$4) with (operating near system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 08:30
S282	55	(bit with offset with (memory near map\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 11:19
S283	7	(bit with offset with (memory near map\$4) with "operating system")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 11:23
S284	6	(bit with offset with (memory near map\$4) with "os")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 11:23
S285	1866	717/114-119.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08
S286	3668	719/311-317,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08
S287	9614	709/230-237.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08

S288	1088	(S285 or S286 or S287) and @pd> = "20080611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08
S289	164	S288 and socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08
S290	121	S289 and (operating near system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08

12/17/2008 2:27:22 PM

C:\Documents and Settings\qchen\My Documents\EAST\Workspaces\doctet\10696828.wsp